To initially set up wireless, go to Start -> Control Panel -> Network and Sharing Center, then click "Change adapter settings" in the left-hand column.



Check to see that the Wireless Network Connection does not say "Disabled". If it does, right click and select "Enable". Once you have verified that the Wireless Network Connection is enabled, click the arrow in the upper left corner to return to the previous widow.



Click "Manage wireless networks" in the left-hand column.



Click "Add" on the horizontal menu bar.



Click "Manually create a network profile".



In the Network name box, type "LSUHSC-Secure"; from the dropdown menu in the Security type box, select "WPA2-Enterprise"; then click the "Next" button.

Control Panel N	work and Internet Manage Wireless Networks		▼ * j
Manage wireless netwo Windows tries to connect to the	Manually connect to a wireless network		
Add Adapter properties Profi	Enter information for the wireless ne	etwork you want to add	0
Networks you can view, modify, an	Network name: LSUHSC-Secure		Automatically connect
	Encryption type: AES	•	
	Security Key:	Hide characters	
	 Start this connection automatically Connect even if the network is not broad Warning: If you select this option, your of 	dcasting computer's privacy might be at risk.	
		Next Canc	e
1 item			
📀 🏉 🚞 🖸			▲ 🛱 🕪 🛃 💽 12:34 PM 8/8/2012

Click "Change connection settings".



Click "Security" tab.



Click "Settings" button.

Control Panel >	Network an	d Internet 🔸 Manage Wireless Networks		▼ 4;
Manage wireless netwo Windows tries to connect to the Add Adapter properties Profi Networks you can view, modify, an LSUHSC-Secure Inksys	Su	LSUHSC-Secure Wireless Network Properties Example Connection Security Security type: WPA2-Enterprise Encryption type: AES Choose a network authentication method: Microsoft: Protected EAP (PEAP) Microsoft: Protected EAP (PEAP) Settings Image: Setting Seting Setting Setting Setting Setting Setting		Automatically connect
2 items		OK Cancel		
📀 🏉 🚞 I			-	▲ 🛱 🕪 📲 😼 12:37 PM

Put a check in the box preceding "AddTrust External CA Root", then click the "Configure" button under "Select Authentication Method:".

	Protected EAP Properties	
Image wireless netwo Windows tries to connect to the Add Adapter properties Profit Networks you can view, modify, an LSUHSC-Secure Vinksys	Protected EAP Properties When connecting: Validate server certificate Connect to these servers: Trusted Root Certification Authorities: AddTrust External CA Root AddTrust External CA Root America Online Root Certification Authority 1 Class 3 Public Prince Vent Cat Entrust.net Secure Server Certification Authority DigiCert High Assurance EV Root CA Entrust.net Secure Server Certification Authority GlobalSign Root CA Do not prompt user to authorize new servers or trusted certification authorities. Select Authentication Method: Secured password (EAP-MSCHAP v2) © Enable Fast Reconnect Enforce Network Access Protection Disconnect if server does not present cryptobinding TLV Enable Identity Privacy	Close
2 items	OK Cancel	
👌 ∂ 😭 🚺	#	▲ 📴 🚸 🚜 📴 12:38 PM 📕

Remove the check in the box preceding "Automatically use my Windows logon name and password (and domain if any).", then click the "OK" button, and continue closing out until you are prompted to enter your username/password.

	Protected EAP Properties	23		
Control Panel > Network a	EAP MSCHAPv2 Properties			▼ 4 7
Manage wireless netwo Windows tries to connect to the Add Adapter properties Profi Networks you can view, modify, an LSUHSC-Secure linksys	When connecting: Automatically use my Windows logon name and password (and domain if any). OK Cancel DigiCert High Assurance EV Root CA Entrust.net Secure Server Certification Authority Equifax Secure Certificate Authority GlobalSign Root CA Image: Certification Authority On not prompt user to authorize new servers or trusted certification authorities. Select Authentication Method: Secured password (EAP-MSCHAP v2) Image: Certific Reserver Coes Protection Disconnect if server does not present cryptobinding TLV Enable Identity Privacy	nnfigure	Close	Automatically connect
2 items	OK [Cancel		1
📀 🏉 🚞 🖸			1	▲ 🛱 🕪 🛃 😼 2:12 PM 8/8/2012

Enter your username and password, then click the "OK" button to login.

Manage wireless networks that use (W	net Manage Wireless Networks ireless Network Connection) order listed below.	ی آت ا ¢¢
Add Adapter properties Profile types Netw Networks you can view, modify, and reorder (2) Se LSUHSC-Secure Se Iinksys Se	Vindows Security	Automatically connect Automatically connect
2 items		▲ (12:47 PM 8/8/2012